

Stantec

Essex Chatham – Kent Source Protection Planning Technical Study

Phase 2 – Potential Threats Analysis TM

Essex Region and Surrounding Area WTPs

**APPENDIX 8.1:
UNION AREA WTP TRUNCATED TDWT**

Union Area WTP Primary Intake IPZ-1 Vulnerability Score = 5.0

Threat Category	Pathogen	Threat	Ref No	Circumstances	Areas	Significant	Moderate	Low	Threat Level
3		The application of agricultural source material to land. ⁵		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
3		The application of agricultural source material to land. ⁶		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
3		The application of agricultural source material to land. ⁹		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
3		The application of agricultural source material to land. ¹⁰		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
3		The application of agricultural source material to land. ¹¹		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3		The application of agricultural source material to land. ¹²		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

3	The application of agricultural source material to land.	¹³	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
3	The application of agricultural source material to land.	¹⁴	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
3	The application of agricultural source material to land.	¹⁵	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
3	The application of agricultural source material to land.	¹⁶	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3	The application of agricultural source material to land.	¹⁷	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3	The application of agricultural source material to land.	¹⁸	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land.	²³	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

8	The application of commercial fertilizer to land. ²⁴	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
8	The application of commercial fertilizer to land. ²⁷	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40% , but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
8	The application of commercial fertilizer to land. ²⁸	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
8	The application of commercial fertilizer to land. ²⁹	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40% , but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁰	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³¹	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
8	The application of commercial fertilizer to land. ³²	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

8	The application of commercial fertilizer to land. ³³	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁴	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁵	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁶	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴¹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴²	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

6	The application of non-agricultural source material to land. ⁴⁵	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
6	The application of non-agricultural source material to land. ⁴⁶	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
6	The application of non-agricultural source material to land. ⁴⁷	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴⁸	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴⁹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵⁰	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

6	The application of non-agricultural source material to land. ⁵¹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵²	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵³	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵⁴	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land. ⁶⁰	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
10	The application of pesticide to land. ⁶²	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
10	The application of pesticide to land. ⁶⁶	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
10	The application of pesticide to land. ⁶⁷	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
10	The application of pesticide to land. ⁶⁸	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
10	The application of pesticide to land. ⁶⁹	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

10	The application of pesticide to land.	⁷¹	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁷²	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
10	The application of pesticide to land.	⁷³	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁷⁴	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
10	The application of pesticide to land.	⁷⁷	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁷⁸	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
10	The application of pesticide to land.	⁷⁹	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁸⁰	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁸¹	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
10	The application of pesticide to land.	⁸²	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8.1 - 10	6.3 - 8	4.2 - 6	Low
10	The application of pesticide to land.	⁸³	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁸⁴	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
10	The application of pesticide to land.	⁸⁵	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁸⁶	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
10	The application of pesticide to land.	⁸⁷	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
12	The application of road salt.	⁹²	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent . 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

12		The application of road salt. ⁹³	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
12		The application of road salt. ⁹⁴	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more . 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
12		The application of road salt. ⁹⁵	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. ⁹⁸	1. The application of hauled sewage to land. 2. The application area is at least 1, but not more than 10 hectares . 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. ⁹⁹	1. The application of hauled sewage to land. 2. The application area is at least 1, but not more than 10 hectares. 3. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. ¹⁰⁰	1. The application of hauled sewage to land. 2. The application area is more than 10 hectares . 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. ¹⁰¹	1. The application of hauled sewage to land. 2. The application area is more than 10 hectares. 3. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

16	The handling and storage of a dense non-aqueous phase liquid	¹⁰⁶	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹⁰⁷	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹⁰⁸	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2-9	4.9-7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹⁰⁹	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁰	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹¹¹	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹¹²	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹¹³	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2-9	4.9-7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁴	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁵	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁶	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²¹	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²²	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

16	The handling and storage of a dense non-aqueous phase liquid	¹²³	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2-9	4.9 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²⁴	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²⁵	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²⁶	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
15	The handling and storage of fuel.	¹⁹⁷	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
15	The handling and storage of fuel.	³⁰²	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
15	The handling and storage of fuel.	³¹⁷	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
18	The management of runoff that contains chemicals used in the de-icing of aircraft.	³³¹	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a regional airport . 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
18	The management of runoff that contains chemicals used in the de-icing of aircraft.	³³²	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a regional airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

18		The management of runoff that contains chemicals used in the de-icing of aircraft.	333	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a national airport . 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
18		The management of runoff that contains chemicals used in the de-icing of aircraft.	334	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a national airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	339	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	340	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	341	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	342	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴³	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴⁴	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴⁵	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre . 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴⁶	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage ³⁷⁴	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	377	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	378	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	381	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	386	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	387	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	388	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	389	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	390	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	391	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	392	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	393	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	394	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	395	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	396	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	397	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	398	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	399	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	400	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	401	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	402	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	403	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	404	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	405	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	406	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	407	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	408	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	409	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	410	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	411	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	439	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	442	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	443	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	446	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	451	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	452	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	453	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	454	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	455	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	456	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	457	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	458	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	459	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	461	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	462	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	463	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	464	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	465	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	466	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	467	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	468	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	469	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	470	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	471	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	472	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	473	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	474	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	475	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	476	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	516	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	517	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	519	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	522	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	523	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	524	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	527	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	534	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	535	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	536	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	537	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	538	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	539	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	541	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	542	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	543	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	544	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	545	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	546	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	548	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	549	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	550	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	551	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	552	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	592	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	593	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	595	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	598	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	599	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	600	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	601	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	603	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	607	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	610	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	611	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	612	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	613	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	614	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	615	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	616	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	617	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	618	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	619	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	620	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	621	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	622	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	623	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC ₆ -nC ₁₀) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	624	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	625	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	626	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	627	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	628	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	649	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	650	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	652	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	655	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	656	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	657	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	660	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	667	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	668	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	669	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	670	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	671	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	672	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	674	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	675	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	676	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	677	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	678	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	679	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	681	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	682	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	683	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	684	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	685	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	686	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	687	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	688	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	689	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	690	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	691	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	692	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	693	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	694	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	695	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	696	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	697	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	698	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	699	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	700	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	701	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	702	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	703	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	704	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	707	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	711	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Bromomethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	712	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	716	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	717	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	720	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	723	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	729	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	730	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachlorobutadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	731	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachloroethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	733	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hydroquinone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	735	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	737	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	741	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Molybdenum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	743	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	746	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of one or more Adsorbable Organic Halides (AOXs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	747	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	748	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Pentachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	752	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16/nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	755	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	756	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	760	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Tetrachlorobenzene-1,2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	764	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Tritium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	765	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Vanadium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	766	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	768	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Acrylonitrile in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	769	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	770	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	771	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Biphenyl-1,1' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	772	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	773	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Boron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	774	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Bromomethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	775	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	776	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butoxyethanol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	777	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butyl-n alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	778	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butyl-tert alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	779	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	780	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	781	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	782	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	783	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	784	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cobalt or one or more of its compounds containing Cobalt in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	785	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	786	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	787	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	788	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	789	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichloroethane-1,2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	790	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	791	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Formaldehyde in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	792	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	793	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachlorobutadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	794	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachloroethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	795	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydrazine or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	796	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydroquinone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	797	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Iron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	798	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	799	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Manganese or one or more of its compounds containing Manganese in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	800	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	801	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methanol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	802	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methyl ethyl ketone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	803	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methylene chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	804	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Molybdenum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	805	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Naphthalene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	806	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	807	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	808	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	809	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of one or more Adsorbable Organic Halides (AOXs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	810	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	811	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Pentachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	812	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	813	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	814	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	815	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	816	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of phenol or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	817	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	818	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	819	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	820	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Sodium fluoride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	821	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Styrene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	822	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydrogen Sulphide in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	823	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tetrachlorobenzene-1,2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	824	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	825	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	826	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	827	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tritium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	828	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Vanadium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	829	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	830	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	967	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	968	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	971	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	973	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	981	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	982	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	983	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	991	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	992	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	993	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	994	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	995	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	996	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	997	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	998	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	999	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1000	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1002	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1003	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1004	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1005	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1006	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1007	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1008	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1009	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1010	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1012	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1013	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1014	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1015	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1016	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1017	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1018	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1019	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1020	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1021	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1022	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1023	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1024	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1025	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1026	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1027	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1028	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1029	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1030	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1031	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1032	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1033	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1034	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1035	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of phenol or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1036	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1037	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3		Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1038	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		Low
11	The handling and storage of pesticide.	1293	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2		Low
11	The handling and storage of pesticide.	1295	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2		Low

11		The handling and storage of pesticide.	1304	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled , excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms . 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1306	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1310	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
11		The handling and storage of pesticide.	1311	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
11		The handling and storage of pesticide.	1312	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
11		The handling and storage of pesticide.	1313	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1315	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms . 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
11		The handling and storage of pesticide.	1316	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1317	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

11		The handling and storage of pesticide.	1318	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
4		The storage of agricultural source material.	1329	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
4		The storage of agricultural source material.	1330	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
4		The storage of agricultural source material.	1331	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
4		The storage of agricultural source material.	1332	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
4		The storage of agricultural source material.	1335	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
4		The storage of agricultural source material.	1336	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
4		The storage of agricultural source material.	1337	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

4	The storage of agricultural source material.	1338	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
4	The storage of agricultural source material.	1339	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4	The storage of agricultural source material.	1340	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4	The storage of agricultural source material.	1343	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4	The storage of agricultural source material.	1344	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
17	The handling and storage of an organic solvent.	1381	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres . 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
17	The handling and storage of an organic solvent.	1382	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
17	The handling and storage of an organic solvent.	1383	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
17	The handling and storage of an organic solvent.	1389	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
17	The handling and storage of an organic solvent.	1390	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
17	The handling and storage of an organic solvent.	1391	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

9		The handling and storage of commercial fertilizer.	1407	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms . 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
9		The handling and storage of commercial fertilizer.	1408	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
7		The handling and storage of non-agricultural source material.	1417	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes . 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
7		The handling and storage of non-agricultural source material.	1418	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
7		The handling and storage of non-agricultural source material.	1419	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
7		The handling and storage of non-agricultural source material.	1420	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
7		The handling and storage of non-agricultural source material.	1423	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
7		The handling and storage of non-agricultural source material.	1424	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
7		The handling and storage of non-agricultural source material.	1425	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes . 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1426	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

7		The handling and storage of non-agricultural source material.	1427	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1428	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1431	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1432	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
13		The handling and storage of road salt.	1437	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
13		The handling and storage of road salt.	1438	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
13		The handling and storage of road salt.	1441	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
13		The handling and storage of road salt.	1442	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1448	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1467	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1468	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low

14		The storage of snow.	1469	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1470	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1471	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1476	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1477	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
14		The storage of snow.	1489	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1490	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1491	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1492	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1493	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1494	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1495	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

14		The storage of snow.	1496	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1497	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1498	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1499	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1511	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1512	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1513	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1514	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares . 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
14		The storage of snow.	1515	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1516	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1517	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1518	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1519	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1520	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

14		The storage of snow.	1521	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1572	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1573	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1574	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1575	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1576	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1577	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1578	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1579	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1580	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1581	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1582	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1583	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Hydrogen Sulphide in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1584	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1591	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1592	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1597	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1598	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1599	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1600	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1601	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1602	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1615	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1618	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1626	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1627	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1628	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1629	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1630	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1631	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1632	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1633	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1634	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1635	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1636	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1637	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1638	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1651	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1661	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1663	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1664	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1665	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1666	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1667	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1668	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1669	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1670	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1671	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1672	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1673	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1674	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1687	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1697	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1699	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1700	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1701	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1702	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1703	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1704	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1705	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1706	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1707	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1708	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1709	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1710	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1883	1. PCB waste is stored in an outdoor area and not in a container. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1884	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1885	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1886	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1887	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1888	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1889	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1890	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1891	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1892	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1893	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low	

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1905	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1906	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1907	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1908	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1909	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1910	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1911	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1912	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1913	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1917	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1934	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1937	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
3 P	The application of agricultural source material to land	1944	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
21 P	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard	1945	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

21	P	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard	1946	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1947	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1948	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1950	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant . 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1958	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass. 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1959	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4	P	The storage of agricultural source material	1962	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
4	P	The storage of agricultural source material	1964	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
7	P	The handling and storage of non-agricultural source material	1966	1. The non-agricultural source material contains material generated by a meat plant , and any portion of the material is stored at or above grade . 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
1	P	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act	1971	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

6	P	The application of non-agricultural source material to land	1973	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
---	---	---	------	--	------------------------------	--------	---------	-----------	-----

Union Area WTP Primary Intake IPZ-2 Vulnerability Score = 4.0

Threat Category	Pathogen	Threat	Ref No	Circumstances	Areas	Significant	Moderate	Low	Threat Level
Vulnerability score is below the most sensitive vulnerability score range in the TDWT, and therefore, there is no list of potential chemical and pathogen DWT associated with the IPZ-2 Vulnerability Score.									

Union Area WTP Emergency Intake IPZ-1 Vulnerability Score = 6.0

Threat Category	Pathogen	Threat	Ref No	Circumstances	Areas	Significant	Moderate	Low	Threat Level
3		The application of agricultural source material to land. ¹		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
3		The application of agricultural source material to land. ²		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
3		The application of agricultural source material to land. ³		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
3		The application of agricultural source material to land. ⁴		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
3		The application of agricultural source material to land. ⁵		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
3		The application of agricultural source material to land. ⁶		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

3	The application of agricultural source material to land. ⁷	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
3	The application of agricultural source material to land. ⁸	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
3	The application of agricultural source material to land. ⁹	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7
3	The application of agricultural source material to land. ¹⁰	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
3	The application of agricultural source material to land. ¹¹	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
3	The application of agricultural source material to land. ¹²	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
3	The application of agricultural source material to land. ¹³	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4

3	The application of agricultural source material to land. ¹⁴	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
3	The application of agricultural source material to land. ¹⁵	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3	The application of agricultural source material to land. ¹⁶	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3	The application of agricultural source material to land. ¹⁷	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3	The application of agricultural source material to land. ¹⁸	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ¹⁹	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
8	The application of commercial fertilizer to land. ²⁰	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

8	The application of commercial fertilizer to land. ²¹	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
8	The application of commercial fertilizer to land. ²²	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
8	The application of commercial fertilizer to land. ²³	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
8	The application of commercial fertilizer to land. ²⁴	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
8	The application of commercial fertilizer to land. ²⁵	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
8	The application of commercial fertilizer to land. ²⁶	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

8	The application of commercial fertilizer to land. ²⁷	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
8	The application of commercial fertilizer to land. ²⁸	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
8	The application of commercial fertilizer to land. ²⁹	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁰	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³¹	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
8	The application of commercial fertilizer to land. ³²	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

8	The application of commercial fertilizer to land. ³³	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁴	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁵	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁶	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ³⁷	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1		Low
6	The application of non-agricultural source material to land. ³⁸	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1		Low

6	The application of non-agricultural source material to land. ³⁹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
6	The application of non-agricultural source material to land. ⁴⁰	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
6	The application of non-agricultural source material to land. ⁴¹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴²	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴³	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
6	The application of non-agricultural source material to land. ⁴⁴	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

6	The application of non-agricultural source material to land. ⁴⁵	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
6	The application of non-agricultural source material to land. ⁴⁶	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
6	The application of non-agricultural source material to land. ⁴⁷	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴⁸	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴⁹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵⁰	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

6	The application of non-agricultural source material to land. ⁵¹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵²	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵³	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵⁴	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land. ⁵⁵	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
10	The application of pesticide to land. ⁵⁶	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
10	The application of pesticide to land. ⁵⁷	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
10	The application of pesticide to land. ⁵⁸	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
10	The application of pesticide to land. ⁵⁹	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
10	The application of pesticide to land. ⁶⁰	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

10	The application of pesticide to land.	⁶¹	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
10	The application of pesticide to land.	⁶²	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
10	The application of pesticide to land.	⁶³	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
10	The application of pesticide to land.	⁶⁴	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
10	The application of pesticide to land.	⁶⁵	1. The area of land to which the pesticide is applied is less than 1 hectare. 2. The application may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
10	The application of pesticide to land.	⁶⁶	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
10	The application of pesticide to land.	⁶⁷	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
10	The application of pesticide to land.	⁶⁸	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
10	The application of pesticide to land.	⁶⁹	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
10	The application of pesticide to land.	⁷⁰	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
10	The application of pesticide to land.	⁷¹	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁷²	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
10	The application of pesticide to land.	⁷³	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁷⁴	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
10	The application of pesticide to land.	⁷⁵	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
10	The application of pesticide to land.	⁷⁶	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low

10	The application of pesticide to land.	⁷⁷	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁷⁸	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	
10	The application of pesticide to land.	⁷⁹	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁸⁰	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
10	The application of pesticide to land.	⁸¹	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
10	The application of pesticide to land.	⁸²	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8.1 - 10	6.3 - 8	4.2 - 6	
10	The application of pesticide to land.	⁸³	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁸⁴	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
10	The application of pesticide to land.	⁸⁵	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁸⁶	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
10	The application of pesticide to land.	⁸⁷	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
12	The application of road salt.	⁸⁸	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent . 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
12	The application of road salt.	⁸⁹	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
12	The application of road salt.	⁹⁰	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent . 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
12	The application of road salt.	⁹¹	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	

12		The application of road salt. ⁹²	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent . 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
12		The application of road salt. ⁹³	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
12		The application of road salt. ⁹⁴	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more . 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
12		The application of road salt. ⁹⁵	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. ⁹⁶	1. The application of hauled sewage to land. 2. The application area is less than 1 hectare . 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. ⁹⁷	1. The application of hauled sewage to land. 2. The application area is less than 1 hectare. 3. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. ⁹⁸	1. The application of hauled sewage to land. 2. The application area is at least 1, but not more than 10 hectares . 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	99	1. The application of hauled sewage to land. 2. The application area is at least 1, but not more than 10 hectares. 3. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	100	1. The application of hauled sewage to land. 2. The application area is more than 10 hectares . 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	101	1. The application of hauled sewage to land. 2. The application area is more than 10 hectares. 3. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	102	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
16	The handling and storage of a dense non-aqueous phase liquid	103	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9-10	6-8.1	Low
16	The handling and storage of a dense non-aqueous phase liquid	104	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
16	The handling and storage of a dense non-aqueous phase liquid	105	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
16	The handling and storage of a dense non-aqueous phase liquid	106	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

16	The handling and storage of a dense non-aqueous phase liquid	¹⁰⁷	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹⁰⁸	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2-9	4.9-7	
16	The handling and storage of a dense non-aqueous phase liquid	¹⁰⁹	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁰	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹¹	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹²	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹³	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2-9	4.9-7	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁴	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁵	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁶	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁷	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁸	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9-10	6 - 8.1	
16	The handling and storage of a dense non-aqueous phase liquid	¹¹⁹	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	

16	The handling and storage of a dense non-aqueous phase liquid	¹²⁰	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²¹	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²²	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²³	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2-9	4.9 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²⁴	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²⁵	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	¹²⁶	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
15	The handling and storage of fuel.	¹⁵⁷	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15	The handling and storage of fuel.	¹⁶⁷	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15	The handling and storage of fuel.	¹⁷²	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

15		The handling and storage of fuel.	177	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
15		The handling and storage of fuel.	178	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
15		The handling and storage of fuel.	179	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	180	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	181	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	187	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	188	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
15		The handling and storage of fuel.	189	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

15		The handling and storage of fuel.	190	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
15		The handling and storage of fuel.	191	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	192	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
15		The handling and storage of fuel.	193	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
15		The handling and storage of fuel.	194	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	195	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
15		The handling and storage of fuel.	196	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	197	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
									Low

15		The handling and storage of fuel.	198	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
15		The handling and storage of fuel.	199	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	200	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	201	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	202	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	242	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	257	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	267	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

15		The handling and storage of fuel.	272	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
15		The handling and storage of fuel.	273	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
15		The handling and storage of fuel.	274	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
15		The handling and storage of fuel.	275	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	276	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	287	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
15		The handling and storage of fuel.	288	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufactures or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

15		The handling and storage of fuel.	289	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
15		The handling and storage of fuel.	290	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	291	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	292	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	297	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	298	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
15		The handling and storage of fuel.	299	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	300	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

15		The handling and storage of fuel.	301	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
15		The handling and storage of fuel.	302	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
15		The handling and storage of fuel.	303	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
15		The handling and storage of fuel.	304	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	305	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	306	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	307	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
15		The handling and storage of fuel.	312	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

15		The handling and storage of fuel.	317	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
15		The handling and storage of fuel.	318	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
15		The handling and storage of fuel.	319	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	320	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	321	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	322	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
15		The handling and storage of fuel.	323	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
15		The handling and storage of fuel.	324	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

15		The handling and storage of fuel.	325	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
15		The handling and storage of fuel.	326	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
18		The management of runoff that contains chemicals used in the de-icing of aircraft.	327	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a remote airport . 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
18		The management of runoff that contains chemicals used in the de-icing of aircraft.	329	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a small airport . 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
18		The management of runoff that contains chemicals used in the de-icing of aircraft.	330	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a small airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
18		The management of runoff that contains chemicals used in the de-icing of aircraft.	331	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a regional airport . 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
18		The management of runoff that contains chemicals used in the de-icing of aircraft.	332	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a regional airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
18		The management of runoff that contains chemicals used in the de-icing of aircraft.	333	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a national airport . 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

18		The management of runoff that contains chemicals used in the de-icing of aircraft.	334	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a national airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	335	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2		Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	336	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2		Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	337	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre . 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2		Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	338	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2		Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	339	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
									Low

21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴⁰	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴¹	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴²	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴³	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴⁴	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	³⁴⁵ 1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	³⁴⁶ 1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	³⁵² 1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	³⁵⁵ 1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	³⁶⁰ 1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	361	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	362	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	363	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	364	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	365	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	366	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	367	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	368	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	369	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	370	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	371	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	372	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	373	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	374	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	375	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	376	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	377	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	378	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	379	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	380	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	381	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	382	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	383	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	384	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	385	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	386	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	387	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	388	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	389	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	390	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	391	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	392	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	393	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	394	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	395	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	396	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	397	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	398	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	399	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	400	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	401	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	402	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	403	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	404	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	405	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	406	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	407	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	408	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	409	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	410	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	411	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	417	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	420	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	425	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	426	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	427	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	428	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	429	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	430	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	431	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	432	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	433	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	434	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	435	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	436	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	437	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	438	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	439	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	440	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	441	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	442	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	443	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	444	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	445	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	446	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	447	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	448	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	449	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	450	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	451	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	452	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	453	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	454	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	455	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	456	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	457	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	458	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	459	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	461	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	462	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	463	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	464	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	465	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	466	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	467	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	468	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	469	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	470	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Moderate
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	471	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	472	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	473	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	474	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	475	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	476	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	478	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	486	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	496	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	497	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	498	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	499	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	500	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	501	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	503	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	504	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	505	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	506	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	507	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	508	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	512	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	513	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	514	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	515	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	516	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	517	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	518	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	519	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	520	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	521	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	522	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	523	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	524	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	525	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	526	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	527	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	528	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC ₆ -nC ₁₀) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	529	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	530	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	531	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	532	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	533	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	534	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	535	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	536	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	537	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	538	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	539	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	540	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	541	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	542	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	543	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	544	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	545	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	546	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	547	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	548	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	549	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	550	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	551	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	552	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	554	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	555	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	557	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	560	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	561	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	562	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	565	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	572	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	573	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	574	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	575	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	576	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	577	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	578	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	579	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	580	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	581	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	582	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	583	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	584	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	585	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC ₆ -nC ₁₀) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	586	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	587	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	588	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	589	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	590	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	591	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	592	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4 Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	593	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4 Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	594	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2 Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	595	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4 Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	596	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	597	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	598	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	599	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	600	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	601	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	602	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	603	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	604	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	605	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	606	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	607	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	608	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	609	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	610	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	611	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	612	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	613	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	614	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	615	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	616	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	617	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	618	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	619	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	620	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	621	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	622	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	623	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	624	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	625	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	626	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	627	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	628	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	629	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	630	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	631	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	632	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	633	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	634	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	636	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	637	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	638	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	639	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	640	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	641	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	645	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	646	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	647	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	648	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	649	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7

2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	650	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	651	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	652	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	653	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	654	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	655	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	656	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	657	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	658	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	659	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	660	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	661	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	662	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	663	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	664	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	665	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	666	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	667	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	668	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	669	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	670	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	671	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	672	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	673	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	674	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	675	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	676	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	677	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	678	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	679	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	

2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	680	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	681	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	682	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	683	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	684	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	685	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	686	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	687	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	688	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	689	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	690	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	691	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	692	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	693	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	694	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	695	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	696	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Moderate
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	697	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	698	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	699	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC ₆ -nC ₁₀) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	700	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	701	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	702	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	703	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	704	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	705	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Acrylonitrile in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	706	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	707	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	708	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Biphenyl-1,1' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	709	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	710	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Boron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	711	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Bromomethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	712	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	713	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Butoxyethanol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	714	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Butyl-n alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	715	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Butyl-tert alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	716	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	717	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	718	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	719	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	720	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	721	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Cobalt or one or more of its compounds containing Cobalt in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	722	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	723	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	724	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	725	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	726	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Dichloroethane-1,2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2 Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	727	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	728	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Formaldehyde in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	729	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7 Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	730	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachlorobutadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	731	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachloroethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	732	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hydrazine or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	733	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hydroquinone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	734	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Iron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	735	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	736	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Manganese or one or more of its compounds containing Manganese in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	737	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	738	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Methanol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	739	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Methyl ethyl ketone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	740	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Methylene chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	741	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Molybdenum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	742	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Naphthalene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	743	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	744	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	745	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	746	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of one or more Adsorbable Organic Halides (AOXs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	747	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	748	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Pentachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	749	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC ₆ -nC ₁₀) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	750	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	751	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	752	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	753	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of phenol or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	754	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	755	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	756	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	757	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Sodium fluoride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	758	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Styrene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	759	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hydrogen Sulphide in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	760	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Tetrachlorobenzene-1,2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	761	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	762	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	763	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	764	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Tritium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	765	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Vanadium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	766	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	767	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	768	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Acrylonitrile in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	769	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	770	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	771	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Biphenyl-1,1' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Moderate
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	772	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	773	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Boron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	774	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Bromomethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	775	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	776	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butoxyethanol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	777	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butyl-n alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	778	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butyl-tert alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	779	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	780	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	781	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	782	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	783	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	784	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cobalt or one or more of its compounds containing Cobalt in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	785	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	786	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	787	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	788	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	789	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichloroethane-1,2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	790	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	791	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Formaldehyde in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	792	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	793	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachlorobutadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	794	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachloroethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	795	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydrazine or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	796	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydroquinone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	797	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Iron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	798	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	799	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Manganese or one or more of its compounds containing Manganese in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	800	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	801	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methanol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Moderate
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	802	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methyl ethyl ketone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	803	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methylene chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	804	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Molybdenum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	805	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Naphthalene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	806	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	807	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	808	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	809	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of one or more Adsorbable Organic Halides (AOXs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	810	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	811	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Pentachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	812	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	813	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	814	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	815	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	816	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of phenol or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	817	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	818	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	819	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	820	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Sodium fluoride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	821	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Styrene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	822	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydrogen Sulphide in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	823	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tetrachlorobenzene-1,2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	824	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	825	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	826	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	827	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tritium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	828	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Vanadium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	829	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	830	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	838	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	840	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	841	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	842	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. The discharge from the system may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	850	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Chloride to land or water	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	852	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Nitrogen to land or water	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	853	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Phosphorus (total) to land or water	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	854	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage works within the meaning of the <i>Ontario Water Resources Act</i> . 3. A spill from the holding tank may result in the presence of Sodium to land or water	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	906	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	907	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	910	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	911	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	912	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	913	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	914	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	915	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	917	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day. 3. The discharge from the system may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	919	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	920	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	934	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	935	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	943	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	944	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	945	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	946	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	947	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	948	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	949	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	950	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	951	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	955	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	957	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	958	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	959	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	960	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	961	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	962	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	964	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	965	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	966	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	967	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7 Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	968	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7 Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	969	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2 Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	970	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2 Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	971	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	972	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	973	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	974	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	975	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	976	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	977	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	978	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	979	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	980	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	981	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	982	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	983	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	984	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	985	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	986	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	987	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of phenol or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	988	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	989	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	990	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	991	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	992	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	993	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	994	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	995	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	996	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	997	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	998	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	999	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1000	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1001	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1002	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2 Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1003	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7 Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1004	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2 Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1005	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4 Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1006	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1007	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1008	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1009	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1010	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1011	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of phenol or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1012	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1013	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1014	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1015	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1016	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1017	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Moderate
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1018	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1019	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1020	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1021	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1022	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1023	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1024	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1025	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1026	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1027	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1028	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1029	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1030	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1031	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1032	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Moderate
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1033	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1034	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1035	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of phenol or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1036	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1037	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1038	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1155	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1156	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1158	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1159	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1160	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1161	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1162	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1163	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1165	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1166	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1181	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1182	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1184	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1185	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1186	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1187	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1188	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1189	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1191	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1192	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1194	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1195	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1196	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1197	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1198	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1199	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1200	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1201	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1202	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1203	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1204	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1205	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1206	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1207	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1208	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1210	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1211	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1212	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1213	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1214	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1215	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1217	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1218	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1220	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1221	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1222	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1223	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1224	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1225	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1226	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1227	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1228	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1229	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1230	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1231	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1232	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the <i>Ontario Water Resources Act</i> , the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. A spill from the system may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
11	The handling and storage of pesticide.	1249	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms . 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
11	The handling and storage of pesticide.	1260	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled , excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms . 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

11		The handling and storage of pesticide.	1266	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
11		The handling and storage of pesticide.	1267	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
11		The handling and storage of pesticide.	1268	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
11		The handling and storage of pesticide.	1269	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
11		The handling and storage of pesticide.	1271	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
11		The handling and storage of pesticide.	1273	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
11		The handling and storage of pesticide.	1277	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
11		The handling and storage of pesticide.	1278	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

11		The handling and storage of pesticide.	1279	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
11		The handling and storage of pesticide.	1280	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
11		The handling and storage of pesticide.	1282	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled , excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
11		The handling and storage of pesticide.	1284	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
11		The handling and storage of pesticide.	1288	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
11		The handling and storage of pesticide.	1289	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
11		The handling and storage of pesticide.	1290	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
11		The handling and storage of pesticide.	1291	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

11		The handling and storage of pesticide.	1292	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
11		The handling and storage of pesticide.	1293	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1294	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
11		The handling and storage of pesticide.	1295	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1296	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
11		The handling and storage of pesticide.	1297	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
11		The handling and storage of pesticide.	1298	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
11		The handling and storage of pesticide.	1299	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
11		The handling and storage of pesticide.	1300	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

11		The handling and storage of pesticide.	1301	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
11		The handling and storage of pesticide.	1302	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
11		The handling and storage of pesticide.	1303	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
11		The handling and storage of pesticide.	1304	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled , excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms . 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1305	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
11		The handling and storage of pesticide.	1306	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1307	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
11		The handling and storage of pesticide.	1308	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

11		The handling and storage of pesticide.	1309	1. A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
11		The handling and storage of pesticide.	1310	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
11		The handling and storage of pesticide.	1311	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
11		The handling and storage of pesticide.	1312	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
11		The handling and storage of pesticide.	1313	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1314	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
11		The handling and storage of pesticide.	1315	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms . 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
11		The handling and storage of pesticide.	1316	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
11		The handling and storage of pesticide.	1317	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
11		The handling and storage of pesticide.	1318	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low

11		The handling and storage of pesticide.	1319	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
11		The handling and storage of pesticide.	1320	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
4		The storage of agricultural source material.	1321	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
4		The storage of agricultural source material.	1322	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
4		The storage of agricultural source material.	1323	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
4		The storage of agricultural source material.	1324	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
4		The storage of agricultural source material.	1327	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
4		The storage of agricultural source material.	1328	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is not more than 0.5 nutrient units per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

4	The storage of agricultural source material.	1329	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
4	The storage of agricultural source material.	1330	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
4	The storage of agricultural source material.	1331	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
4	The storage of agricultural source material.	1332	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
4	The storage of agricultural source material.	1335	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
4	The storage of agricultural source material.	1336	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
4	The storage of agricultural source material.	1337	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

4		The storage of agricultural source material.	1338	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4		The storage of agricultural source material.	1339	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4		The storage of agricultural source material.	1340	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4		The storage of agricultural source material.	1341	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
4		The storage of agricultural source material.	1342	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
4		The storage of agricultural source material.	1343	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4		The storage of agricultural source material.	1344	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
17		The handling and storage of an organic solvent.	1357	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
17		The handling and storage of an organic solvent.	1358	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

17		The handling and storage of an organic solvent.	1359	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
17		The handling and storage of an organic solvent.	1365	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
17		The handling and storage of an organic solvent.	1366	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
17		The handling and storage of an organic solvent.	1367	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
17		The handling and storage of an organic solvent.	1369	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres . 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
17		The handling and storage of an organic solvent.	1370	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
17		The handling and storage of an organic solvent.	1371	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
17		The handling and storage of an organic solvent.	1372	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
17		The handling and storage of an organic solvent.	1377	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
17		The handling and storage of an organic solvent.	1378	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
17		The handling and storage of an organic solvent.	1379	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

17		The handling and storage of an organic solvent.	1380	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
17		The handling and storage of an organic solvent.	1381	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres . 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
17		The handling and storage of an organic solvent.	1382	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
17		The handling and storage of an organic solvent.	1383	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
17		The handling and storage of an organic solvent.	1384	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
17		The handling and storage of an organic solvent.	1385	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
17		The handling and storage of an organic solvent.	1386	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
17		The handling and storage of an organic solvent.	1387	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
17		The handling and storage of an organic solvent.	1389	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
17		The handling and storage of an organic solvent.	1390	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
17		The handling and storage of an organic solvent.	1391	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Methylene Chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
17		The handling and storage of an organic solvent.	1392	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
9		The handling and storage of commercial fertilizer.	1399	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms . 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

9		The handling and storage of commercial fertilizer.	1400	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
9		The handling and storage of commercial fertilizer.	1401	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled , excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms . 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
9		The handling and storage of commercial fertilizer.	1402	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
9		The handling and storage of commercial fertilizer.	1403	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms . 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
9		The handling and storage of commercial fertilizer.	1404	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
9		The handling and storage of commercial fertilizer.	1405	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled , excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms . 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
9		The handling and storage of commercial fertilizer.	1406	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
9		The handling and storage of commercial fertilizer.	1407	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms . 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
9		The handling and storage of commercial fertilizer.	1408	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

7		The handling and storage of non-agricultural source material.	1423	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
7		The handling and storage of non-agricultural source material.	1424	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
7		The handling and storage of non-agricultural source material.	1425	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes . 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1426	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1427	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1428	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1429	1. The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
7		The handling and storage of non-agricultural source material.	1430	1. The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
7		The handling and storage of non-agricultural source material.	1431	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1432	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

13		The handling and storage of road salt.	1433	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is less than 500 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
13		The handling and storage of road salt.	1434	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is less than 500 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
13		The handling and storage of road salt.	1437	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
13		The handling and storage of road salt.	1438	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
13		The handling and storage of road salt.	1439	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes . 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
13		The handling and storage of road salt.	1440	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
13		The handling and storage of road salt.	1441	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
13		The handling and storage of road salt.	1442	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
13		The handling and storage of road salt.	1443	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes . 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
13		The handling and storage of road salt.	1444	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1445	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1446	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

14		The storage of snow.	1447	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
14		The storage of snow.	1448	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1449	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
14		The storage of snow.	1450	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1451	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1452	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
14		The storage of snow.	1453	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1454	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1455	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1467	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1468	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
14		The storage of snow.	1469	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

14		The storage of snow.	1470	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1471	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1472	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
14		The storage of snow.	1473	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1474	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1475	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
14		The storage of snow.	1476	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1477	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
14		The storage of snow.	1489	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1490	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1491	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1492	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

14		The storage of snow.	1493	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1494	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1495	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1496	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1497	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
14		The storage of snow.	1498	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1499	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1511	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1512	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1513	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1514	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
14		The storage of snow.	1515	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1516	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

14		The storage of snow.	1517	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1518	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1519	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1520	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1521	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1522	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
14		The storage of snow.	1524	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
14		The storage of snow.	1525	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
14		The storage of snow.	1526	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
14		The storage of snow.	1531	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1546	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1547	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2		Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1548	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2		Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1549	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1		Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1550	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1		Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1551	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2		Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1552	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1553	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1554	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1555	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1556	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1557	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Hydrogen Sulphide in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1558	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report. 3. A discharge from the storage area may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1559	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1560	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1561	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1562	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1563	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1564	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1565	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1566	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1567	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1568	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1569	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1570	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Hydrogen Sulphide in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1571	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1572	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1573	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1574	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1575	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1576	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1577	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1578	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1579	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1580	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1581	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1582	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1583	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Hydrogen Sulphide in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1584	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1585	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1586	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1587	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1588	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1589	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1590	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare. 3. The disposal may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1591	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1592	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1593	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F1 (nC ₆ -nC ₁₀) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1594	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F4 (>nC ₃₄) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1595	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F2 (>nC ₁₀ -nC ₁₆) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1596	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F3 (>nC ₁₆ -nC ₃₄) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1597	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1598	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1599	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1600	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1601	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1602	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1603	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1605	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1606	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1607	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1608	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1609	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1610	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1611	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1612	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1613	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1614	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1615	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1616	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1617	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2
							Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1618	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1619	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1620	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1621	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1622	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1623	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1624	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1625	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1626	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1627	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1628	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1629	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1630	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1631	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1632	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1633	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1634	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1635	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1636	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1637	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1638	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1639	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1641	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1642	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1644	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low	

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1645	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1646	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1647	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1648	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1649	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1650	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1651	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1652	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1653	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1654	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1655	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1656	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1657	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1658	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1659	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1660	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1661	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1662	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1663	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1664	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1665	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1666	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1667	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1668	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1669	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1670	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1671	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1672	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1673	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1674	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1675	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1677	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1678	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1680	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1681	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1682	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1683	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1684	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1685	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1686	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is less than 1 hectare. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1687	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1688	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1689	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1690	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1691	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1692	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1693	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1694	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1695	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1696	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1697	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1698	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1699	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1700	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1701	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1702	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1703	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1704	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1705	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1706	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1707	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1708	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1709	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1710	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1831	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1837	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1847	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1853	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1855	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1856	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1860	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1861	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1862	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Carbofuran in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1865	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1868	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1870	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1871	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1872	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1873	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Oxamyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1875	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethane-1,1,1 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1876	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1877	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year. 3. The disposal of waste may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1879	1. PCB waste is stored below grade in a facility or engineered cell. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1880	1. PCB waste stored in drums above or at grade. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the discharge of one or more Polychlorinated Biphenyls (PCBs) to land or water	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1881	1. PCB waste stored in storage tanks below grade. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1882	1. PCB waste stored a storage tank that is installed partially below grade. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	5.4 - 7.2	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1883	1. PCB waste is stored in an outdoor area and not in a container. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1884	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1885	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1886	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1887	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1888	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1889	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1890	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1891	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1892	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1893	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1894	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1896	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1897	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1898	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1899	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1900	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1901	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1902	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	6 - 8.1	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1903	1. Hazardous waste or liquid industrial waste is stored below grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6 - 8.1	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1905	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1906	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1907	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1908	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1909	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1910	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1911	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1912	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1913	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1914	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1915	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1916	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1917	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1918	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1919	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1920	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1921	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1922	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1923	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1934	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1935	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		9 - 10	5.6 - 8.1	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1936	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1937	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	4.9 - 7.2	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1938	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1939	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1940	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1941	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1942	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E		8 - 10	5.4 - 7.2	Low

1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1943	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , or in clause (d) of the definition of liquid industrial waste in that regulation, and stores a portion of the waste, but not all, below grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E"		8 - 10	5.4 - 7.2	
3	P	The application of agricultural source material to land	1944	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
21	P	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard	1945	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate
21	P	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard	1946	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1947	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate

2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1948	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1949	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The discharge may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	9 - 10	6 - 8.1		Moderate
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1950	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant . 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1951	1. The system discharges to surface water and its primary functions include conveying sewage from a seafood processing operation . 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	9 - 10	6 - 8.1		Moderate
									Low

2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1952	1. The system discharges to surface water and its primary functions include conveying sewage from a dairy producer or a dairy product manufacturing operation. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1	
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1953	1. The system discharges to surface water and its primary functions include conveying sewage from an animal food manufacturing operation that manufactures food from animal sources. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1	Low
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1954	1. The system discharges to surface water and its primary functions include conveying sewage from a pulp and paper mill. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1	Low
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1955	1. The system is an earth pit privy, privy vault, cesspool, or a leaching bed system and its associated treatment unit and is a sewage system as defined in section 1 of O. Reg. 350/06 (Building Code) made under the <i>Building Code Act</i> , 1992 or a sewage works as defined in section 1 of the <i>Ontario Water Resources Act</i> . 2. A discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2	
									Low

2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1956	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2	
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1957	1. The system is a wastewater collection facility that collects or transmits sewage containing human waste , but does not include any part of the facility that is a sewage storage tank or works used to carry out a designed bypass . 2. The discharge from the system may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1958	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass . 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1959	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	

2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1960	1. The system is a sewage treatment tank or sewage storage tank in a wastewater collection facility or a wastewater treatment facility and the tank is below grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2	
5	P	The management of agricultural source material	1961	1. The use of land or water for aquaculture. 2. The land use may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1	Low
4	P	The storage of agricultural source material	1962	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate
4	P	The storage of agricultural source material	1963	1. The agricultural source material is stored entirely below grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2	Low
4	P	The storage of agricultural source material	1964	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate
4	P	The handling and storage of non-agricultural source material	1965	1. The non-agricultural source material contains material generated by a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill, and any portion of the material is stored at or above grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1	Low
7	P	The handling and storage of non-agricultural source material	1966	1. The non-agricultural source material contains material generated by a meat plant , and any portion of the material is stored at or above grade . 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Moderate
7	P	The handling and storage of non-agricultural source material	1968	1. The non-agricultural source material contains material generated by a meat plant, and the material is stored entirely below grade. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	10.0	8 - 9	5.4 - 7.2	Low

1	P	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act	1970	1. Composting of farm animals is undertaken at the waste disposal site. 2. A discharge from the compost may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1	
1	P	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act	1971	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
6	P	The application of non-agricultural source material to land	1972	1. The application of any quantity of non-agricultural source material that contains materials from a seafood processing operation, a dairy producer, a dairy product manufacturing operation, an animal food manufacturing operation that manufactures food from animal sources, or a pulp and paper mill. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E		9 - 10	6 - 8.1	Moderate
6	P	The application of non-agricultural source material to land	1973	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
									Moderate

Union Area WTP Emergency Intake IPZ-2 Vulnerability Score = 4.8

Threat Category	Pathogen	Threat	Ref No	Circumstances	Areas	Significant	Moderate	Low	Threat Level
3		The application of agricultural source material to land. ⁵		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
3		The application of agricultural source material to land. ⁶		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
3		The application of agricultural source material to land. ⁹		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
3		The application of agricultural source material to land. ¹¹		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3		The application of agricultural source material to land. ¹²		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3		The application of agricultural source material to land. ¹³		1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

3	The application of agricultural source material to land. ¹⁴	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
3	The application of agricultural source material to land. ¹⁵	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3	The application of agricultural source material to land. ¹⁶	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3	The application of agricultural source material to land. ¹⁷	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
3	The application of agricultural source material to land. ¹⁸	1. (a) The agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ²³	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
8	The application of commercial fertilizer to land. ²⁴	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

8	The application of commercial fertilizer to land. ²⁷	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
8	The application of commercial fertilizer to land. ²⁹	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁰	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³¹	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
8	The application of commercial fertilizer to land. ³²	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
8	The application of commercial fertilizer to land. ³³	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

8	The application of commercial fertilizer to land. ³⁴	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁵	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
8	The application of commercial fertilizer to land. ³⁶	1. (a) The commercial fertilizer is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴¹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴²	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is less than 40% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴⁵	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

6	The application of non-agricultural source material to land. ⁴⁷	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴⁸	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is at least 40%, but not more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁴⁹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵⁰	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is less than 0.5 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵¹	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
6	The application of non-agricultural source material to land. ⁵²	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

6	The application of non-agricultural source material to land. ⁵³	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre ; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
6	The application of non-agricultural source material to land. ⁵⁴	1. (a) The non-agricultural source material is applied to land located in a census consolidated subdivision that has a managed land percentage that is more than 80% and a livestock density that is sufficient to annually generate nutrients at a rate that is more than 1.0 nutrient units per acre; and (b) The total available nitrogen or phosphorus in all nutrients applied during the year to the land on which the material is applied exceeds the crop production requirements for crops on the land for that year by 15% or more. 2. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land. ⁶⁶	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
10	The application of pesticide to land. ⁶⁷	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
10	The application of pesticide to land. ⁶⁸	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
10	The application of pesticide to land. ⁷¹	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land. ⁷³	1. The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land. ⁷⁷	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land. ⁷⁸	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
10	The application of pesticide to land. ⁷⁹	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land. ⁸⁰	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Dichloropropene-1,3 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land. ⁸¹	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
10	The application of pesticide to land. ⁸²	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8.1 - 10	6.3 - 8	4.2 - 6	Low

10	The application of pesticide to land.	⁸³	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁸⁴	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
10	The application of pesticide to land.	⁸⁵	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Metalaxyl in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
10	The application of pesticide to land.	⁸⁶	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Metolachlor or s-Metolachlor in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
10	The application of pesticide to land.	⁸⁷	1. The area of land to which the pesticide is applied is more than 10 hectares. 2. The application may result in the presence of Pendimethalin in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
12	The application of road salt.	⁹⁴	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more . 2. The application may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
12	The application of road salt.	⁹⁵	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is 80 percent or more. 2. The application may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	⁹⁸	1. The application of hauled sewage to land. 2. The application area is at least 1, but not more than 10 hectares . 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	¹⁰⁰	1. The application of hauled sewage to land. 2. The application area is more than 10 hectares . 3. The application may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	101	1. The application of hauled sewage to land. 2. The application area is more than 10 hectares. 3. The application may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
16	The handling and storage of a dense non-aqueous phase liquid	106	1. The below grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	109	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	110	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	111	1. The above grade handling of a DNAPL in relation to its storage. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	114	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	115	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	116	1. The storage of a DNAPL at or above grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	121	1. The storage of a DNAPL below grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
16	The handling and storage of a dense non-aqueous phase liquid	124	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
16	The handling and storage of a dense non-aqueous phase liquid	125	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

16		The handling and storage of a dense non-aqueous phase liquid	¹²⁶	1. The storage of a DNAPL if a portion, but not all, of the storage is below grade. 2. A spill of the DNAPL may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
15		The handling and storage of fuel.	¹⁹⁷	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
15		The handling and storage of fuel.	³⁰²	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres . 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
15		The handling and storage of fuel.	³¹⁷	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i> , or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres. 3. A spill of the fuel may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
18		The management of runoff that contains chemicals used in the de-icing of aircraft.	³³³	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a national airport . 3. The discharge may result in the presence of Dioxane-1,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
18		The management of runoff that contains chemicals used in the de-icing of aircraft.	³³⁴	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a national airport. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	³³⁹	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.	³⁴¹	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴³	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴⁴	1. The use of land as an outdoor confinement area or a farm-animal yard. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴⁵	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre . 3. The land use may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
21		The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. ³⁴⁶	1. The use of land as livestock grazing or pasturing land. 2. The number of animals on the land at any time is sufficient to generate nutrients at an annual rate that is more than 1 nutrient unit per acre. 3. The land use may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	381	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	386	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	387	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	389	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	390	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	391	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	392	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	393	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	394	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	395	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	396	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	397	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	399	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	400	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	401	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	402	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	403	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	404	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	405	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	406	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	407	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	408	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	409	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	410	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	411	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the combined sewer may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	443	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	446	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	451	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	452	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	454	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	455	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	456	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	457	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	458	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	459	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	461	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	462	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	464	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	465	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	466	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	467	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	468	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	469	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	470	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	471	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	472	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	473	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Pentachlorophenol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	474	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	475	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	476	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge from the designed bypass may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	516	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	524	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	535	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	536	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	538	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	541	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	542	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	543	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	544	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2		The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	545	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	546	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	550	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16/nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	592	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	593	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	595	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	598	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	599	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	600	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	603	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	610	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	611	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	612	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	613	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	614	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	615	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	616	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	617	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	618	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	619	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	620	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	621	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	622	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	623	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	624	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	625	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	626	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	627	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	628	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	649	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	657	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	668	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	669	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	671	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	674	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	675	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	676	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	677	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	678	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	679	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	683	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16/nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	686	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	687	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	688	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	689	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	690	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	691	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	692	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Glyphosate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	693	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	694	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	695	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	696	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	697	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	698	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	699	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	700	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	701	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10 nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	702	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16 nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	703	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	704	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	707	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	711	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Bromomethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	716	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	717	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	720	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	729	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	730	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hexachlorobutadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	733	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Hydroquinone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	735	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	737	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	746	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of one or more Adsorbable Organic Halides (AOXs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	747	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a person to report. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	768	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Acrylonitrile in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	769	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Aluminum or one or more of its compounds containing Aluminum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	770	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	771	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Biphenyl-1,1' in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	772	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Bis(2-ethylhexyl) phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	773	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Boron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	774	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Bromomethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	775	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	776	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butoxyethanol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	777	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butyl-n alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	778	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Butyl-tert alcohol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	779	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	780	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	781	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	782	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	783	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	784	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cobalt or one or more of its compounds containing Cobalt in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	785	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	786	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	787	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	788	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	789	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Dichloroethane-1,2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	790	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	791	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Formaldehyde in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	792	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	793	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachlorobutadiene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	794	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hexachloroethane in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	795	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydrazine or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	796	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydroquinone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	797	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Iron in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	798	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	799	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Manganese or one or more of its compounds containing Manganese in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	800	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	801	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methanol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	802	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methyl ethyl ketone in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	803	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Methylene chloride (Dichloromethane) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	804	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Molybdenum in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	805	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Naphthalene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	806	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	807	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	808	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	809	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of one or more Adsorbable Organic Halides (AOXs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	810	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	811	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Pentachlorobenzene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	812	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	813	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	814	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	815	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	816	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of phenol or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	817	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	818	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	819	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	820	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Sodium fluoride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	821	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Styrene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	822	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Hydrogen Sulphide in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	823	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tetrachlorobenzene-1,2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	824	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tetrachloroethylene (PCE) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	825	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Trichlorobenzene-1,2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	826	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	827	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Tritium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	828	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Vanadium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	829	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	830	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	967	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	968	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	982	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	983	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	991	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	992	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	993	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	994	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	995	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	996	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	997	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	999	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1003	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1005	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1006	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1007	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1008	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1009	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1010	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1013	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1015	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Antimony or one or more of its compounds containing Antimony in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1016	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1017	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Barium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1018	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1019	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1020	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chlorophenol-2 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1021	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1022	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1023	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1024	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dibutyl phthalate in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1025	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,2 (ortho) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1026	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorobenzene-1,4 (para) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1027	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Dichlorophenol-2,4 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1028	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Ethylene Glycol in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1029	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.3 - 8.1	4.2 - 6	Low	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1030	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low	

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1031	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1032	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1033	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1034	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Nitrosodimethylamine-N (NDMA) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage	1035	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of phenol or its salts in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1036	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1037	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3		Low
2	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.	1038	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis. 3. The discharge may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		Low
11	The handling and storage of pesticide.	1310	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Atrazine in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7		Low
11	The handling and storage of pesticide.	1311	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dicamba in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		Low
11	The handling and storage of pesticide.	1312	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7		Low
11	The handling and storage of pesticide.	1315	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms . 3. A spill of the pesticide or material containing the pesticide may result in the presence of MCPA (2-methyl-4-chlorophenoxyacetic acid) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		Low
11	The handling and storage of pesticide.	1317	1. A pesticide is stored for retail sale or for use in extermination within the meaning of the <i>Pesticides Act</i> . 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms. 3. A spill of the pesticide or material containing the pesticide may result in the presence of Mecoprop in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		Low

4	The storage of agricultural source material.	1329	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	
4	The storage of agricultural source material.	1331	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
4	The storage of agricultural source material.	1335	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
4	The storage of agricultural source material.	1337	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4	The storage of agricultural source material.	1338	1. The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4	The storage of agricultural source material.	1339	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4	The storage of agricultural source material.	1340	1. The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
4	The storage of agricultural source material.	1343	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

4		The storage of agricultural source material.	1344	1. A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The combined number of animals on the farm units from which the agricultural source material originates is sufficient to generate nutrients at an annual rate that is more than 1.0 nutrient unit per acre of the farm units. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
17		The handling and storage of an organic solvent.	1381	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres . 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
17		The handling and storage of an organic solvent.	1382	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
17		The handling and storage of an organic solvent.	1389	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Carbon Tetrachloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
17		The handling and storage of an organic solvent.	1390	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 2,500 litres. 3. A spill of the solvent may result in the presence of Chloroform in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
9		The handling and storage of commercial fertilizer.	1407	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms . 3. A spill of the fertilizer or material containing the fertilizer may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
7		The handling and storage of non-agricultural source material.	1417	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes . 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
7		The handling and storage of non-agricultural source material.	1419	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
7		The handling and storage of non-agricultural source material.	1423	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
7		The handling and storage of non-agricultural source material.	1425	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes . 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1426	1. The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

7		The handling and storage of non-agricultural source material.	1427	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1428	1. The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1431	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
7		The handling and storage of non-agricultural source material.	1432	1. A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes. 3. A spill of the material or runoff from the area where the material is stored may result in the presence of Phosphorus (total) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
13		The handling and storage of road salt.	1441	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
13		The handling and storage of road salt.	1442	1. The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is more than 5,000 tonnes. 3. Runoff from the area in which the salt is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1469	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1470	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1471	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1489	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1490	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

14		The storage of snow.	1491	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1492	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1493	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1494	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1498	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1499	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
14		The storage of snow.	1511	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1512	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Copper or one or more of its compounds containing Copper in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1513	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1514	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
14		The storage of snow.	1515	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1516	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F1 (nC6-nC10) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1517	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

14		The storage of snow.	1518	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1519	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
14		The storage of snow.	1520	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Sodium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
14		The storage of snow.	1521	1. The snow is stored at or above grade. 2. The area upon which snow is stored is more than 5 hectares. 3. Runoff from the area in which the snow is stored may result in the presence of Zinc or one or more of its compounds containing Zinc in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1572	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1573	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1574	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1		The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1576	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Cyanide (CN-) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1577	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1578	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1579	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nickel or one or more of its compounds containing Nickel in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1580	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1582	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice. 3. A discharge from the storage area may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1591	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1592	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 1, but not more than 10 hectares. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1597	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	6.4 - 8.1	4.5 - 6.3	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1598	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of one or more Polycyclic Aromatic Hydrocarbons (PAHs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1599	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F1 (nC ₆ -nC ₁₀) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1600	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F4 (>nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1601	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F2 (>nC10-nC16) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1602	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The area where the land disposal is undertaken is more than 10 hectares. 3. The disposal may result in the presence of Petroleum Hydrocarbons F3 (>nC16-nC34) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1627	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1629	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1630	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1631	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1632	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1633	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1634	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1635	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1636	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1637	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1638	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1663	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1665	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1666	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1668	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1669	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1670	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1671	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1672	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1673	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1674	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1699	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1701	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of BTEX in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1702	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1704	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1705	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1706	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Nitrogen in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1707	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1708	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Trichloroethylene or another DNAPL that could degrade to Trichloroethylene in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1709	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Uranium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1710	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the <i>Environmental Protection Act</i> , is undertaken at the site. 2. The fill area is more than 10 hectares. 3. A discharge from the area where the waste is disposed may result is the presence of Vinyl chloride or another DNAPL that could degrade to vinyl chloride in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1883	1. PCB waste is stored in an outdoor area and not in a container. 2. The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the <i>Environmental Protection Act</i> or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation. 3. A spill of the waste may result in the presence of one or more Polychlorinated Biphenyls (PCBs) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1884	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1886	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1887	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4		Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1888	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7		Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1889	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1890	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4		
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1891	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1892	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1893	1. Hazardous waste or liquid industrial waste is stored at or above grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1904	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Arsenic or one or more of its compounds containing Arsenic in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low	

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1906	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Cadmium or one or more of its compounds containing Cadmium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1907	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Chromium VI in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1908	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Dichlorophenoxy Acetic Acid (D-2,4) in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1909	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Lead or one or more of its compounds containing Lead in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1910	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Mercury or one or more of its compounds containing Mercury in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	Low

1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1911	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Selenium or one or more of its compounds containing Selenium in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7 - 9	4.8 - 6.4	
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1912	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Silver or one or more of its compounds containing Silver in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
1	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.	1913	1. Hazardous waste or liquid industrial waste is stored, and a portion, but not all of the waste is stored below grade. 2. A discharge of the waste may result in the presence of Trichlorophenoxyacetic acid-2,4,5 in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3, and WHPA-E	10.0	7.2 - 9	4.8 - 7	Low
3 P	The application of agricultural source material to land	1944	1. Agricultural source material is applied to land in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
21 P	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard	1945	1. The use of land as livestock grazing or pasturing land for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
21 P	The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard	1946	1. The use of land as an outdoor confinement area or a farm-animal yard for one or more animals. 2. The land use may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1947	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1948	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1950	1. The system discharges to surface water and its primary functions include conveying sewage from a meat plant . 2. The discharge may result in the presence of one or more pathogens in surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1958	1. The system is a wastewater treatment facility that discharges to surface water through a means other than a designed bypass . 2. A discharge may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

2	P	The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage within the meaning of the Ontario Water Resources Act	1959	1. The system is a sewage treatment tank or sewage storage tank in either a wastewater collection facility or wastewater treatment facility, and any part of the tank is at or above grade. 2. A spill from the tank may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	9 - 10	7 - 8.1	4.5 - 6.4	
4	P	The storage of agricultural source material	1962	1. Any portion of the agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
4	P	The storage of agricultural source material	1964	1. The agricultural source material is stored at a temporary field nutrient storage site. 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
7	P	The handling and storage of non-agricultural source material	1966	1. The non-agricultural source material contains material generated by a meat plant , and any portion of the material is stored at or above grade . 2. A spill of the material or runoff from an area where the material is stored may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
1	P	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act	1971	1. Land application of hauled sewage in any quantity. 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low
6	P	The application of non-agricultural source material to land	1973	1. The application of any quantity of non-agricultural source material that contains materials from a meat plant or sewage works . 2. The application may result in the presence of one or more pathogens in groundwater or surface water.	IPZ-1, IPZ-2, IPZ-3 & WHPA-E	8 - 10	6 - 7.2	4.2 - 5.6	Low

Stantec

Essex Chatham – Kent Source Protection Planning Technical Study

Phase 2 – Potential Threats Analysis TM

Essex Region and Surrounding Area WTPs

**APPENDIX 8.2:
UNION AREA WTP CHEMICAL AND PATHOGEN THREATS**

Union Area WTP Primary Intake IPZ-1 Vulnerability Score: 5.0

Threat Category	Total	Threat Level	Threat Type	Threat Level by Type
1	94	Low	Chemical	Low 93
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 1
				Moderate 0
				Significant 0
2	300	Low	Chemical	Low 295
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	5	Low 5
				Moderate 0
				Significant 0
3	13	Low	Chemical	Low 12
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 1
				Moderate 0
				Significant 0
4	14	Low	Chemical	Low 12
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	2	Low 2
				Moderate 0
				Significant 0
5	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	0	Low 0
				Moderate 0
				Significant 0
6	13	Low	Chemical	Low 12
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 1
				Moderate 0
				Significant 0
7	13	Low	Chemical	Low 12
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 1
				Moderate 0
				Significant 0
8	12	Low	Chemical	Low 12
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	0	Low 0
				Moderate 0
				Significant 0

Threat Category	Total		Threat Level		Threat Type		Threat Level by Type
9	2	Low	2	Chemical	2	Low	2
		Moderate	0			Moderate	0
		Significant	0		0	Significant	0
		Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0
10	21	Low	21	Chemical	21	Low	21
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0
11	12	Low	12	Chemical	12	Low	12
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0
12	4	Low	4	Chemical	4	Low	4
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0
13	4	Low	4	Chemical	4	Low	4
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0
14	30	Low	30	Chemical	30	Low	30
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0
15	3	Low	3	Chemical	3	Low	3
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0
16	17	Low	17	Chemical	17	Low	17
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0

Threat Category	Total		Threat Level		Threat Type		Threat Level by Type
17	6	Low	6	Chemical	6	Low	6
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Low	0	Moderate	0
						Significant	0
						Low	0
18	4	Low	4	Chemical	4	Moderate	0
		Moderate	0			Significant	0
		Significant	0			Low	0
		Pathogen	0	Moderate	0	Moderate	0
						Significant	0
						Low	0
21	10	Low	10	Chemical	8	Moderate	0
		Moderate	0			Significant	0
		Significant	0			Low	2
		Pathogen	2	Moderate	0	Moderate	0
						Significant	0
						Low	8

Total	572	Total Low	572	Total Chem	559	Low Chem	559
		Total Mod	0	Total Path	13	Mod Chem	0
		Total Sig	0	Total	572	Sig Chem	0
		Total	572			Low Path	13
						Mod Path	0
						Sig Path	0
						Total	572

Union Area WTP Primary Intake IPZ-2 Vulnerability Score: 4.0

Threat Category	Total	Threat Level	Threat Type	Threat Level by Type
1	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
	0	Low	Pathogen	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
2	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
	0	Low	Pathogen	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
3	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
	0	Low	Pathogen	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
4	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
	0	Low	Pathogen	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
5	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
	0	Low	Pathogen	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
6	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
	0	Low	Pathogen	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
7	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
	0	Low	Pathogen	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
8	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
	0	Low	Pathogen	Low 0
		Moderate		Moderate 0
		Significant		Significant 0

Threat Category	Total		Threat Level		Threat Type		Threat Level by Type
9	0	Low	0	Chemical	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Low	0	Low	0
						Moderate	0
						Significant	0
		Chemical	0	Low	0	Low	0
						Moderate	0
						Significant	0
10	0	Low	0	Pathogen	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Chemical	0	Low	0	Low	0
						Moderate	0
						Significant	0
		Pathogen	0	Low	0	Low	0
						Moderate	0
						Significant	0
11	0	Low	0	Chemical	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Low	0	Low	0
						Moderate	0
						Significant	0
		Chemical	0	Low	0	Low	0
						Moderate	0
						Significant	0
12	0	Low	0	Pathogen	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Chemical	0	Low	0	Low	0
						Moderate	0
						Significant	0
		Pathogen	0	Low	0	Low	0
						Moderate	0
						Significant	0
13	0	Low	0	Chemical	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Low	0	Low	0
						Moderate	0
						Significant	0
		Chemical	0	Low	0	Low	0
						Moderate	0
						Significant	0
14	0	Low	0	Pathogen	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Chemical	0	Low	0	Low	0
						Moderate	0
						Significant	0
		Pathogen	0	Low	0	Low	0
						Moderate	0
						Significant	0
15	0	Low	0	Chemical	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Low	0	Low	0
						Moderate	0
						Significant	0
		Chemical	0	Low	0	Low	0
						Moderate	0
						Significant	0
16	0	Low	0	Pathogen	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Chemical	0	Low	0	Low	0
						Moderate	0
						Significant	0

Union Area WTP Emergency Intake IPZ-1 Vulnerability Score: 6.0

Threat Category	Total	Threat Level	Threat Type	Threat Level by Type
1	240	Low	Chemical	Low 238
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	2	Low 1
				Moderate 1
				Significant 0
		Chemical	592	Low 579
		Moderate		Moderate 13
		Significant		Significant 0
		Pathogen	14	Low 10
				Moderate 4
				Significant 0
2	606	Low	Chemical	Low 18
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 0
				Moderate 1
				Significant 0
		Chemical	20	Low 20
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	4	Low 2
				Moderate 2
				Significant 0
3	19	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 0
				Moderate 1
				Significant 0
		Chemical	18	Low 18
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	4	Low 2
				Moderate 2
				Significant 0
4	24	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	4	Low 0
				Moderate 2
				Significant 0
		Chemical	0	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
5	1	Low	Chemical	Low 1
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 0
				Moderate 0
				Significant 0
		Chemical	18	Low 18
		Moderate		Moderate 0
		Significant		Significant 0
6	20	Low	Chemical	Low 1
		Moderate		Moderate 1
		Significant		Significant 0
		Pathogen	2	Low 0
				Moderate 1
				Significant 0
		Chemical	20	Low 20
		Moderate		Moderate 0
		Significant		Significant 0
7	22	Low	Chemical	Low 1
		Moderate		Moderate 1
		Significant		Significant 0
		Pathogen	2	Low 0
				Moderate 1
				Significant 0
		Chemical	18	Low 18
		Moderate		Moderate 0
		Significant		Significant 0
8	18	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	0	Low 0
				Moderate 0
				Significant 0

Threat Category	Total		Threat Level		Threat Type		Threat Level by Type	
9	10	Low	10	Chemical	10	Low	10	
		Moderate	0			Moderate	0	
		Significant	0			Significant	0	
		Pathogen	0	Low	0	Moderate	0	
						Significant	0	
				Low	0	Moderate	0	
		Chemical	33			Significant	0	
			Moderate	0	Low	33		
					Significant	0		
10	33	Pathogen	0	Low	0	Moderate	0	
						Significant	0	
				Low	0	Moderate	0	
11	47	Chemical	47			Significant	0	
			Moderate	0	Low	47		
					Moderate	0		
		Pathogen	0	Significant	0	Significant	0	
						Low	0	
						Moderate	0	
12	8	Chemical	8	Significant	0	Significant	0	
						Low	8	
		Pathogen	0			Moderate	0	
13	10			Significant	0	Significant	0	
	Chemical	10				Low	0	
						Moderate	0	
14	49	Pathogen	0	Significant	0	Significant	0	
						Low	0	
						Moderate	0	
15	60	Chemical	60	Significant	0	Significant	0	
						Low	60	
						Moderate	0	
16	25	Pathogen	0	Significant	0	Significant	0	
						Low	0	
						Moderate	0	
17	30	Chemical	30	Significant	0	Significant	0	
						Low	0	
						Moderate	0	

Threat Category	Total		Threat Level		Threat Type		Threat Level by Type
17	25	Low	25	Chemical	25	Low	25
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0
		Chemical	7	Chemical	7	Low	7
						Moderate	0
						Significant	0
18	7	Pathogen	0	Pathogen	0	Low	0
						Moderate	0
						Significant	0
		Chemical	12	Chemical	12	Low	12
						Moderate	0
						Significant	0
		Pathogen	2	Pathogen	2	Low	0
						Moderate	2
						Significant	0
21	14	Chemical	12	Chemical	12	Low Chem	1197
						Mod Chem	13
						Sig Chem	0
		Pathogen	2	Pathogen	2	Low Path	16
						Mod Path	12
						Sig Path	0
		Total	1238	Total	1238	Total	1238

Total	1238	Total Low	1213	Total Chem	1210	Low Chem	1197
		Total Mod	25	Total Path	28	Mod Chem	13
		Total Sig	0	Total	1238	Sig Chem	0
		Total	1238			Low Path	16
						Mod Path	12
						Sig Path	0
						Total	1238

Union Area WTP Emergency Intake IPZ-2 Vulnerability Score: 4.8

Threat Category	Total	Threat Level	Threat Type	Threat Level by Type
1	71	Low	Chemical	Low 70
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 1
				Moderate 0
				Significant 0
2	244	Low	Chemical	Low 239
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	5	Low 5
				Moderate 0
				Significant 0
3	12	Low	Chemical	Low 11
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 1
				Moderate 0
				Significant 0
4	11	Low	Chemical	Low 9
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	2	Low 2
				Moderate 0
				Significant 0
5	0	Low	Chemical	Low 0
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	0	Low 0
				Moderate 0
				Significant 0
6	12	Low	Chemical	Low 11
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 1
				Moderate 0
				Significant 0
7	10	Low	Chemical	Low 9
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	1	Low 1
				Moderate 0
				Significant 0
8	11	Low	Chemical	Low 11
		Moderate		Moderate 0
		Significant		Significant 0
		Pathogen	0	Low 0
				Moderate 0
				Significant 0

Threat Category	Total		Threat Level		Threat Type		Threat Level by Type
9	1	Low	1	Chemical	1	Low	1
		Moderate	0			Moderate	0
		Significant	0			Significant	0
10	16	Low	16	Chemical	16	Low	16
		Moderate	0			Moderate	0
		Significant	0			Significant	0
11	5	Low	5	Chemical	5	Low	5
		Moderate	0			Moderate	0
		Significant	0			Significant	0
12	2	Low	2	Chemical	2	Low	2
		Moderate	0			Moderate	0
		Significant	0			Significant	0
13	2	Low	2	Chemical	2	Low	2
		Moderate	0			Moderate	0
		Significant	0			Significant	0
14	22	Low	22	Chemical	22	Low	22
		Moderate	0			Moderate	0
		Significant	0			Significant	0
15	3	Low	3	Chemical	3	Low	3
		Moderate	0			Moderate	0
		Significant	0			Significant	0
16	11	Low	11	Chemical	11	Low	11
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Low	0	Pathogen	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0

Threat Category	Total		Threat Level		Threat Type		Threat Level by Type
17	4	Low	4	Chemical	4	Low	4
		Moderate	0			Moderate	0
		Significant	0			Significant	0
	2	Low	2	Pathogen	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Low	2	Chemical	2	Low	2
		Moderate	0			Moderate	0
		Significant	0			Significant	0
21	8	Low	8	Pathogen	0	Low	0
		Moderate	0			Moderate	0
		Significant	0			Significant	0
	6	Low	6	Chemical	6	Low	6
		Moderate	0			Moderate	0
		Significant	0			Significant	0
		Low	2	Pathogen	2	Low	2
		Moderate	0			Moderate	0
		Significant	0			Significant	0

Total	447	Total Low	447	Total Chem	434	Low Chem	434
		Total Mod	0	Total Path	13	Mod Chem	0
		Total Sig	0	Total	447	Sig Chem	0
		Total	447			Low Path	13
						Mod Path	0
						Sig Path	0
						Total	447